

3D HOLOGRAPHIC FAN Light box

The 3D holographic fan utilizes the principle of persistence of vision (POV) of the human eye. Through the high-speed rotation of LED light strips, it forms continuous, suspended and realistic 3D holographic images in the air.

**RoHS****FCC****BIS****UK
CA**

<https://www.snkjc.com/>



RGB
light source




TF slot
connector



Electro
motor





Power
supply



Rotating 360° Cylindrical double-sided Naked-eye 3D display cabinet

One of the ultimate display solutions for converting digital content into "touchable physical entities of light".




Computer APP control Upload material

Using the principle of high-speed rotation of the fan screen to achieve the suspended effect, led lamp beads into patterns



Unstarted state



Starting up





Holographic imaging



Infinite splicing

Support customization

Splicing size without limits, support large-scale activities of pavement display




03

Product Series Meeting Diverse Needs



Please consult customer service for additional details



Synchronous application

The synchronous application of 3D holographic projection fans marks a significant shift for this technology from "eye-catching single-point devices" to "systematic engineering for creating experiences".

For customers who pursue the ultimate visual experience and brand recognition, the synchronous system is the ultimate technical solution to realize their grand creative visions.

ALL-IN-ONE



3D Holographic Fan

Using high-speed rotating LED light strips as “**brushes**” and air as the “**canvas**”, holographic images are “**painted**” through precise spatiotemporal control.

05



True 3D without Glasses

Without any auxiliary equipment, multiple people can view the stereoscopic images from multiple angles directly.

Aerial levitation imaging

The image has a penetrating and suspended quality, with a combination of reality and illusion, and a strong visual impact.

Cloud management


Supports multiple formats of content. It can be updated remotely with one click and played at regular intervals.

The mystery of creating images out of thin air



HIGH- PRECISION BRUSHLESS MOTOR

The driver is equipped with a light strip carrying densely arranged LED bulbs, which forms a 3D holographic projection.



Signal
processing



Location
awareness




Precise
control

07

NAKED-EYE 3D STRAIGHT-VIEW STEREOSCOPIC EFFECT

—

Break through the limitations of flat and single-sided displays, achieve all-round viewing with no blind spots, and present a complete and three-dimensional display effect.





**Anywhere and
anytime
Control your vision**

09

IMPORT VIDEO

The remote import video function has completely solved the problem that traditional display equipment's content update relied on manual on-site operations.

It enables you to manage the content of devices located in different places instantly, no matter where you are.


PRODUCT SUMMARY



Holographic night light

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
92*92 mm	420*42	10 W	42 pcs
Visual Angle	Software support system	Package size	Packed weight
170°	Mobile APP/ Computer	227*88*157mm	0.31 KG



SN-Y27 High definition version Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
250*250 mm	1600*224	5-8 W	224 pcs
Visual Angle	Software support system	Package size	Packed weight
170°	Mobile APP/ Computer	355*325*50mm	0.45 KG

Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year

10



SN-T40 Normal version Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
400*400 mm	640*640	10-15 W	224 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Insert card / Mobile APP / Computer	467*110*78mm	0.5 KG



SN-T40 Highlight version Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
400*400 mm	800*800	10-15 W	224 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Insert card / Mobile APP / Computer	467*110*78mm	0.5 KG

PRODUCT SUMMARY



SN-T42 Normal version Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
415*415 mm	1024*640	18 W	244 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	254*144*58mm	0.5 KG




SN-T42 Highlight version Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
415*415 mm	1024*800	20 W	244 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	254*144*58mm	0.5 KG

Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year



SN-T45 All in one Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
400*400 mm	800*800	10-15 W	224 pcs
Visual Angle	Software support system	Package size	Packed weight
170°	Insert card / Mobile APP / Computer	495*587*95mm	2.75 KG



SN-T45

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
450*450 mm	1400*510	30 W	510 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	440*460*75mm	1.5 KG

PRODUCT SUMMARY



SN-F50 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
487*487 mm	2000*1152	48 W	576 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	284*485*74mm	0.95 KG



SN-F50 All in one Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
500*500 mm	2000*704	24 W	352 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	515*95*490mm	3 KG

Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year



SN-T52 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
520*520 mm	2000*624	72 W	624 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	345*153*92mm	1.3 KG




SN-T56 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
560*560 mm	2000*672	72 W	672 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	375*191*101mm	1.5 KG

PRODUCT SUMMARY



SN-F56 All in one Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
520*520 mm	2000*624	72 W	624 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	595*595*95mm	5.55 KG



SN-F60 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
600*600 mm	2000*720	72 W	720 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	345*153*92mm	1.3 KG

Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year

16



SN-T62 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
615*615 mm	2000*1444	72 W	722 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	350*185*80mm	1.1 KG



SN-T65 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
640*640 mm	2000*768	96 W	768 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	375*191*101mm	1.5 KG

PRODUCT SUMMARY



SN-F65 All in one Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
600*600 mm	2000*720	96 W	720 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	685*685*95mm	6. 6 KG




SN-F80 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
780*780 mm	2000*928	96 W	928 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	445*191*101mm	1. 6 KG

Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year



SN-T85

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
850*850 mm	2000*1532	100 W	1532 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	500*260*100mm	1.26 KG




SN-T100 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
990*990 mm	2000*1184	120 W	1184 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	545*191*101mm	2 KG


PRODUCT SUMMARY



SN-F115

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
1150*1150 mm	2000*1532	120 W	1532 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	650*260*100mm	1.5 KG




SN-F150 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
1500*1500 mm	2048*2880	320 W	2880 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP/ Computer	830*450*230mm	15 KG


Video/picture format: MP4/AVI/GIF/JPG/PNG | **Warranty:** One year



SN-T180 Remote control (multifunction)

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Diameter displayed	Resolution ratio	Rated power	LED qty
1800*1800 mm	2048*2512	400 W	2512 pcs
Visual Angle	Software support system	Package size	Packed weight
176°	Mobile APP / Computer	980*440*230mm	16 KG



Multiple devices synchronized

Best use: High performance, high brightness, support wireless screen projection, interface protocol, remote upgrade expansion

Supporter dimensions	Product	Visual Angle
Custom size	Choosable	176°
Software support system	Control mode	
Insert card / Mobile APP / Computer	Remote control (multifunction)	

3D Holographic projection Light box

Holographic projection full-view 3D lightbox



Feature: 3D Stereoscopic

Material: Aluminum alloy

Applicable to: outdoor or indoor

Customization: patterns / colors / sizes / frames



HOLOGRAPHIC FAN

22

3D Holographic Projection Case Presentation




23

The unique form is extremely eye-catching and enhances the brand's technological appeal and dissemination power.


3D Holographic projection Light box





3D holographic projection human body display

25



3D Holographic Projection Motor-dom

3D Holographic Projection Business suit





<https://www.snkjc.cn>



Youtube

SANNAN

Email: Kiki@szsnled.com

Phone: +8618576729248

<https://www.snkjc.cn/>

